WEST Search History for Application 10720031

Creation Date: 2009050409:35

Query	DB	Op.	Plur.	Thes.	Date
("semantic object") with target	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-21-2008
("semantic object") with knowledge	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-21-2008
("semantic object") with ontology	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-21-2008
"target referent"	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-21-2008
"semantic object"	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-21-2008
("semantic object") and ontology	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-21-2008
(707/1 |707/2 |707/3 |707/4 |707/5 |707/6 |707/7 |707/8 |707/9 |707/10).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-21-2008
(707/100 |707/101 |707/102 |707/103R |707/103Y |707/103X |707/103Z |707/104.1).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-21-2008
("semantic object" and ontology) and ((((707/1 |707/2 |707/3 |707/4 |707/5 |707/6 |707/7 |707/8 |707/9 |707/10).ccls.) or ((707/100 |707/101 |707/102 |707/103R |707/103Y |707/103X |707/103Z |707/104.1).ccls.))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-21-2008

("semantic object" and ontology and ((707/1 l707/2 l707/3 l707/4 l707/5 l707/6 l707/7 l707/8 l707/9 l707/10).ccls. or (707/100 l707/101 l707/102 l707/103R l707/103Y l707/103X l707/103Z l707/104.1).ccls.)) and tag$	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-21-2008
("semantic object" and ontology and ((707/1 l707/2 l707/3 l707/4 l707/5 l707/6 l707/7 l707/8 l707/9 l707/10).ccls. or (707/100 l707/101 l707/102 l707/103R l707/103Y l707/103X l707/103Z l707/104.1).ccls.)) and tag$4	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-21-2008
semantic with ("object type")	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-21-2008
(semantic with ("object type")) and ontology	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-21-2008
(semantic with ("object type")) and template	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-21-2008
associat$3 with semantic with object	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-21-2008
(associat$3 with semantic with object) and tag	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-21-2008
(associat$3 with semantic with object and tag) and ("meta-tag")	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-21-2008
(associat$3 with semantic with object) and ("meta-tag")	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-21-2008
(associat$3 with semantic with object) and (("meta-tag") or ("meta tag"))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-21-2008
(associat$3 with semantic with object) and (("meta-tags") or ("meta tags"))	PGPB, USPT, USOC, EPAB,	OR			05-21-2008

	JPAB, DWPI, TDBD				
target with object with ("semantic object")	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		05-21-2008
("semantic object") with target	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-20-2008
("semantic object") with knowledge	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-20-2008
("semantic object") with ontology	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-20-2008
"target referent"	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-20-2008
"semantic object"	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-20-2008
("semantic object") and ontology	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-20-2008
(707/1 l707/2 l707/3 l707/4 l707/5 l707/6 l707/7 l707/8 l707/9 l707/10).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-20-2008
(707/100 l707/101 l707/102 l707/103R l707/103Y l707/103X l707/103Z l707/104.1).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-20-2008
("semantic object" and ontology) and ((((707/1 l707/2 l707/3 l707/4 l707/5 l707/6 l707/7 l707/8 l707/9 l707/10).ccls.) or ((707/100 l707/101 l707/102 l707/103R l707/103Y l707/103X l707/103Z l707/104.1).ccls.))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-20-2008

("semantic object" and ontology and ((707/1 I707/2 I707/3 I707/4 I707/5 I707/6 I707/7 I707/8 I707/9 I707/10).ccls. or (707/100 I707/101 I707/102 I707/103R I707/103Y I707/103X I707/103Z I707/104.1).ccls.)) and tag$	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-20-2008
("semantic object" and ontology and ((707/1 I707/2 I707/3 I707/4 I707/5 I707/6 I707/7 I707/8 I707/9 I707/10).ccls. or (707/100 I707/101 I707/102 I707/103R I707/103Y I707/103X I707/103Z I707/104.1).ccls.)) and tag$4	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-20-2008
semantic with ("object type")	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-20-2008
(semantic with ("object type")) and ontology	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-20-2008
(semantic with ("object type")) and template	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-20-2008
associat$3 with semantic with object	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-20-2008
(associat$3 with semantic with object) and tag	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-20-2008
(associat$3 with semantic with object and tag) and ("meta-tag")	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-20-2008
(associat$3 with semantic with object) and ("meta-tag")	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-20-2008
(associat$3 with semantic with object) and (("meta-tag") or ("meta tag"))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			11-20-2008
(associat$3 with semantic with object) and (("meta-tags") or ("meta tags"))	PGPB, USPT, USOC, EPAB,	OR			11-20-2008

	JPAB, DWPI, TDBD				
("semantic object") same target	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		11-20-2008
("semantic object") same knowledge	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		11-20-2008
("semantic object") same ontology	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		11-20-2008
(("semantic object") same target) and (("semantic object") same knowledge) and (("semantic object") same ontology)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		11-20-2008
semantic same ("object type")	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		11-20-2008
associat$3 same semantic same object	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		11-20-2008
(semantic same ("object type")) and (associat$3 same semantic same object)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		11-20-2008
(associat$3 same semantic same object) and (semantic same ("object type") and associat$3 same semantic same object)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		11-20-2008
(semantic same ("object type") and associat$3 same semantic same object) and ("meta-tag")	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		11-20-2008
("semantic object") with target	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-04-2009
("semantic object") with knowledge		OR			05-04-2009

	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
("semantic object") with ontology	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-04-2009
"target referent"	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-04-2009
"semantic object"	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-04-2009
("semantic object") and ontology	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-04-2009
(707/1 l707/2 l707/3 l707/4 l707/5 l707/6 l707/7 l707/8 l707/9 l707/10).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-04-2009
(707/100 l707/101 l707/102 l707/103R l707/103Y l707/103X l707/103Z l707/104.1).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-04-2009
("semantic object" and ontology) and ((((707/1 l707/2 l707/3 l707/4 l707/5 l707/6 l707/7 l707/8 l707/9 l707/10).ccls.) or ((707/100 l707/101 l707/102 l707/103R l707/103Y l707/103X l707/103Z l707/104.1).ccls.))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-04-2009
("semantic object" and ontology and ((707/1 l707/2 l707/3 l707/4 l707/5 l707/6 l707/7 l707/8 l707/9 l707/10).ccls. or (707/100 l707/101 l707/102 l707/103R l707/103Y l707/103X l707/103Z l707/104.1).ccls.)) and tag$	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-04-2009
("semantic object" and ontology and ((707/1 l707/2 l707/3 l707/4 l707/5 l707/6 l707/7 l707/8 l707/9 l707/10).ccls. or (707/100 l707/101 l707/102 l707/103R l707/103Y l707/103X l707/103Z l707/104.1).ccls.)) and tag$4	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-04-2009
semantic with ("object type")		OR			05-04-2009

	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
(semantic with ("object type")) and ontology	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-04-2009
(semantic with ("object type")) and template	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-04-2009
associat$3 with semantic with object	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-04-2009
(associat$3 with semantic with object) and tag	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-04-2009
(associat$3 with semantic with object and tag) and ("meta-tag")	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-04-2009
(associat$3 with semantic with object) and ("meta-tag")	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-04-2009
(associat$3 with semantic with object) and (("meta-tag") or ("meta tag"))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-04-2009
(associat$3 with semantic with object) and (("meta-tags") or ("meta tags"))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-04-2009
("semantic object") same target	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		05-04-2009
("semantic object") same knowledge	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		05-04-2009

("semantic object") same ontology	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		05-04-2009
(("semantic object") same target) and (("semantic object") same knowledge) and (("semantic object") same ontology)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		05-04-2009
semantic same ("object type")	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		05-04-2009
associat$3 same semantic same object	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		05-04-2009
(semantic same ("object type")) and tag	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		05-04-2009
(associat$3 same semantic same object) and tag	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		05-04-2009
((semantic same ("object type") and tag) or (associat$3 same semantic same object and tag)) and (tag same (metadata or ("meta data")))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		05-04-2009
((semantic same ("object type") and tag or associat$3 same semantic same object and tag) and (tag same (metadata or ("meta data")))) and (("meta-tags") same (metadata or ("meta data")))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		05-04-2009
((semantic same ("object type") and tag or associat$3 same semantic same object and tag) and (tag same (metadata or ("meta data")))) and (("meta-tags") same (metadata or ("meta data"))).clm.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		05-04-2009
709/217.ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		05-04-2009
709/219.ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		05-04-2009

((709/217.ccls.) or (709/219.ccls.)) and ((semantic same ("object type") and tag or associat$3 same semantic same object and tag) and (tag same (metadata or ("meta data"))))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		05-04-2009
707/200-206.ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		05-04-2009
(707/200-206.ccls.) and ((semantic same ("object type") and tag or associat$3 same semantic same object and tag) and (tag same (metadata or ("meta data"))))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		05-04-2009
706/55.ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		05-04-2009
(706/55.ccls.) and ((semantic same ("object type") and tag or associat$3 same semantic same object and tag) and (tag same (metadata or ("meta data"))))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		05-04-2009